

ENGINEERING SERVICE BRIEF

Services

Tests for tightness by helium, gauge and vacuum methods: development of methods, equipment selection and technical support LeakLab.

[Open the current source page](#)



Technical and Project Information

- Helium Leak Testing to OST 92-1527-89
- Leak Testing to GOST 24054-80
- Leak Testing to NP-105-18
- Leak Testing for Rosatom Projects to NP-089-15
- Container Leak Testing to GOST R 51827-2001
- Leak-Tightness Testing to NP-089-14
- Pipeline-Valve Leak Testing to GOST 9544-2005
- Leak Testing of GRP Pipes and Fittings to GOST R 55070-2012
- Vacuum Leak Testing to GOST ISO 13056-2025
- Leak Testing of Mechanical Joints in Plastic Piping to GOST ISO 3459-2024
- Power-Transformer Tank Leak Testing to GOST R 55015-2012
- Power-Transformer Tank Leak Testing to GOST 3484.5-88
- Leak Testing of Vessels, Equipment, and Connections to RD 26.260.011-99
- Leak Testing to OST 26-11-14-88
- Heat-Exchanger Leak Testing
- Leak Testing to GOST 25804.7-83
- Leak Testing to GOST 20.57.406-81
- Leak-Testing Laboratory Services
- Hydrogen Refuelling-Station Leak Testing to GOST R 55226-2012
- Leak Testing to GOST 32569-2013
- Leak Testing to OST 11 0808-92
- Mass-Spectrometer Leak Testing to GOST 28517-90
- Leak Testing to OST 26.260.14-2001
- Leak Testing to OST 5R.0170-81

- Leak Testing to GOST 28210-89
- Leak Testing to PNAE G-7-019-89
- Helium Spray Leak Testing
- Vacuum-Chamber Leak Testing
- Probe-Method Leak Testing
- Electronic-Module Leak Testing
- Leak Testing of packaging at low pressure during air travel
- Leak Testing for Rosatom Projects to GOST R 50.05.11-2018
- Leak Testing and Leak Location with a Leak Detector
- Underground Pipe Leak Location
- Cryogenic leak testing
- Pressure-Decay Leak Testing
- Assembly of industrial pneumatics systems
- Programming of industrial controllers
- Ultrasonic Testing of Calcium-Silicate Bricks and Units to GOST 24332-88
- Ultrasonic Testing of Refractory Concrete Products to GOST 24830-81
- Reference Blocks for Ultrasonic Testing of Aluminium-Alloy Products to GOST 21397-81
- Ultrasonic Testing to GOST 26266-90
- Ultrasonic Thickness-Gauge Testing to GOST R 55614-2013
- Ultrasonic Testing of Brazed Joints to GOST 26126-84
- Ultrasonic Testing of Round and Rectangular Bars and Billets to GOST 21120-75
- Ultrasonic Testing of Multilayer Plain Bearings to GOST R ISO 4386-1-94
- Ultrasonic Testing of Concrete Strength to GOST 17624-87
- Ultrasonic Thickness Measurement of Pressure Steel Pipes to GOST R ISO 10543-99
- Ultrasonic Integrity Testing of Pressure Steel Pipes to GOST R ISO 10332-99
- Ultrasonic Lamination Testing of Steel Pipes to GOST R ISO 10124-99
- Ultrasonic Testing of Seamless Metal Pipes to GOST 17410-78
- Ultrasonic Testing of Ferrous and Non-Ferrous Forgings to OST 24507-80
- Ultrasonic Testing of Reinforcing-Bar Butt Welds to GOST 23858-2019
- Ultrasonic Testing of Heavy Plate to GOST 28831-90
- Ultrasonic Testing of Welded Joints to GOST R ISO 17640-2016
- Ultrasonic Testing of Welded Joints to GOST R 55724-2013
- Ultrasonic Testing of Railway Rails to GOST 18576-96
- Ultrasonic Testing of Rolled Sheet to GOST 22727-88
- Coating-Thickness Measurement to GOST 27750-88
- Ultrasonic Thickness Measurement to GOST R ISO 16809-2015
- Ultrasonic Testing to GOST R 50.05.03-2022
- Ultrasonic Testing to GOST R 50.05.02-2022

- Ultrasonic Testing to GOST R 50.05.04-2022
- Testing materials for gas permeability ASTM D1434-82, TSO-C69c, GOST R 54615-2011 by differential pressure method
- Rental of vacuum pumps
- Vacuum Measurement in Cryogenic-Tank Insulation
- Vacuum pressure measurement
- Vacuum Pump-Down Service
- Replacement Leak Detector with Current Metrological Verification
- Manufacture of seals for vacuum chambers
- Cryogenic-Tank Vacuum Insulation Restoration
- Maintenance of leak detectors

WORLDWIDE PROJECT CONTACT

Send the test object or system, operating conditions, target sensitivity or pressure range, applicable standard, destination country, quantity and schedule. LeakLab will review the project scope.

mail@leaklab.org

Regarding: Services

Specifications, standards, verification scope, availability and commercial terms must be confirmed for the exact configuration and destination jurisdiction before order or project acceptance.